
RS2875,276 TRANSITION

ULTIMATE TENSION & COMPRESSION STRENGTH-70 KIP TURQUE STRENGTH RATING-7,000 FT-LB




- <u>`</u>N <u>⊢</u> HOT DIP GALVANIZED PER ASTM A153-(LATEST REVISION) PIPE SHAFT MATERIAL 2.5" NOMINAL, SCHEDULE 80 WALL THICKNESS PER ASTM A500 GRADE B.
- MANUFACTURER TO HAVE IN WRITTEN QUALITY CONTROL EFFECT INDUSTRY RECOGNIZED FOR ALL MATERIALS AND

ω

- MANUFACTURING PROCESSES.

- ALL WELDING TO BE DONE BY WELDERS CERTIFIED UNDER SECTION 5 OF THE AWS CODE D1.1.
 REFER TO SA2788500 FOR 2-7/8" EXTENSIONS.
 REFER TO SA150-0001 OR SA150-10013 FOR 1-1/2" LEAD COUPLING BOLTS: 3/4" DIAMETER X 3" LONG HEX HEAD PER ASTM A320 GRADE L7.
- TRANSITION SECTION LENGTH IS NOMINAL,

C2/8UUU4	CAT. NO.
KS28/5, 2/6 IKANSITIUN, GALV.	



T0 2-7/8

DATE 07/03/08

SHEET 10F1